

	L #	Hits	Search Text	DBs	Time Stamp
1	L1	11528	propylene near5 ethylene near5 block	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM_TDB	2002/01/14 07:52
2	L2	253721	propylene near2 homopolymer or polypropylene	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM_TDB	2002/01/14 07:52
3	L3	45921	ethylene near5 propylene near5 copolymer	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM_TDB	2002/01/14 07:52
4	L4	126248	elongation	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM_TDB	2002/01/14 07:52
5	L5	1514917	melt adj flow adj rate or mfr	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM_TDB	2002/01/14 07:53
6	L6	9349	flexural adj modulus	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM_TDB	2002/01/14 07:53
7	L7	10284	izod	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM_TDB	2002/01/14 07:53
8	L8	16744	(methylenebis or methylene adj bis) adj5 (butylphenol or butyl adj phenol or butylphenyl or butyl adj phenyl) adj5 phosphate or nucleating or nucleator	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM_TDB	2002/01/14 07:53
9	L9	3178	1 same 2 same 3	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM_TDB	2002/01/14 07:53

	L #	Hits	Search Text	DBs	Time Stamp
10	L10	346	8 and 9	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM_TDB	2002/01/14 07:53
11	L11	841	9 and (4 or 6 or 7)	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM_TDB	2002/01/14 07:53
12	L12	222	10 and (4 or 6 or 7)	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM_TDB	2002/01/14 07:56
13	L13	1420	9 and xylene near5 soluble or xylene near5 insoluble	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM_TDB	2002/01/14 08:39
14	L14	104153	granulat\$3	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM_TDB	2002/01/14 07:54
15	L15	6030	relaxation adj time	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM_TDB	2002/01/14 07:54
16	L16	1091	15 near5 (high\$2 or low\$2 or single or one or increas\$3 or decreas\$3)	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM_TDB	2002/01/14 10:22
17	L17	1912	1 near10 2 near10 3	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM_TDB	2002/01/14 07:57
18	L18	231	8 and 17	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM_TDB	2002/01/14 07:57

	L #	Hits	Search Text	DBs	Time Stamp
19	L20	15	1 and 16	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM_TDB	2002/01/14 07:57
20	L19	156	18 and (4 or 6 or 7)	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM_TDB	2002/01/14 07:58
21	L21	1344	18 and xylene near5 soluble or xylene near5 insoluble	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM_TDB	2002/01/14 08:42
22	L22	6	9 and 15	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM_TDB	2002/01/14 08:44
23	L23	19	18 and xylene near5 soluble and xylene near5 insoluble	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM_TDB	2002/01/14 08:42
24	L24	38	1 and 15	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM_TDB	2002/01/14 08:46
25	L25	3	3 same 16	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM_TDB	2002/01/14 08:46
26	L26	54	3 and 16	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM_TDB	2002/01/14 08:49
27	L27	63	9 and (4 and 5 and 6 and 7)	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM_TDB	2002/01/14 08:49

	L #	Hits	Search Text	DBs	Time Stamp
28	L28	33	27 and 8	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM TDB	2002/01/14 10:27
29	L29	1008	15 near5 (high\$3 or low\$3 or increas\$3 or decreas\$3 or small or large)	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM TDB	2002/01/14 10:24
30	L31	50	(1 or 3) and 29	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM TDB	2002/01/14 10:28
31	L30	47	15 near5 uniform\$3	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM TDB	2002/01/14 10:29

	Type	Hits	Search Text	DBs
1	BRS	6	jp-09227735-\$.did. or jp-09183874-\$.did. or jp-09183873-\$.did.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
2	BRS	11515	propylene near5 ethylene near5 block	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
3	BRS	4486	((methylenebis or methylene adj bis) adj5 (butylphenol or butyl adj phenol)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
4	BRS	81	((butylphenol or butyl adj phenol) adj5 phosphate	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
5	BRS	1514062	melt adj flow adj rate or mfr	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
6	BRS	203	xylene near5 insolubles!	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
7	BRS	347	xylene near5 solubles!	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
8	BRS	7326	relaxation near3 time	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
9	BRS	9342	flexural adj modulus	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
10	BRS	6125	izod adj3 strength	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
11	BRS	5825	tensile adj elongation	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
12	BRS	121	((propylene near5 ethylene near5 block) and (((methylenebis or methylene adj bis) adj5 (butylphenol or butyl adj phenol)) or ((butylphenol or butyl adj phenol) adj5 phosphate)) and ((melt adj flow adj rate or mfr) (xylene near5 insolubles!) (xylene near5 solubles!) (relaxation near3 time) (flexural adj modulus) (izod adj3 strength) (tensile adj elongation))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
13	BRS	11047	melt adj flow adj rate	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
14	BRS	77	((propylene near5 ethylene near5 block) and (((methylenebis or methylene adj bis) adj5 (butylphenol or butyl adj phenol)) or ((butylphenol or butyl adj phenol) adj5 phosphate)) and ((melt adj flow adj rate ) (xylene near5 insolubles!) (xylene near5 solubles!) (relaxation near3 time) (flexural adj modulus) (izod adj3 strength) (tensile adj elongation))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
15	BRS	42	((methylenebis or methylene adj bis) adj5 (butylphenol or butyl adj phenol) adj5 phosphate	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
16	BRS	1453	xylene near5 (insolubles! or insoluble)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
17	BRS	3144	xylene near5 (solubles! or soluble)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
18	BRS	13583	nucleating adj agent or nucleator	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
19	BRS	402	(propylene near5 ethylene near5 block) and (((methylenebis or methylene adj bis) adj5 (butylphenol or butyl adj phenol) adj5 phosphate) or ((butylphenol or butyl adj phenol) adj5 phosphate) or (nucleating adj agent or nucleator)) and ((melt adj flow adj rate ) (xylene near5 (insolubles! or insoluble)) (xylene near5 (solubles! or soluble)) (relaxation near3 time) (flexural adj modulus) (izod adj3 strength) (tensile adj elongation))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
20	BRS	6	(propylene near5 ethylene near5 block) and (((methylenebis or methylene adj bis) adj5 (butylphenol or butyl adj phenol) adj5 phosphate) or ((butylphenol or butyl adj phenol) adj5 phosphate)) and ((melt adj flow adj rate ) (xylene near5 (insolubles! or insoluble)) (xylene near5 (solubles! or soluble)) (relaxation near3 time) (flexural adj modulus) (izod adj3 strength) (tensile adj elongation))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
21	BRS	10	(propylene near5 ethylene near5 block) and (((methylenebis or methylene adj bis) adj5 (butylphenol or butyl adj phenol) adj5 phosphate) or ((butylphenol or butyl adj phenol) adj5 phosphate) or nall or na?11) and ((melt adj flow adj rate ) (xylene near5 (insolubles! or insoluble)) (xylene near5 (solubles! or soluble)) (relaxation near3 time) (flexural adj modulus) (izod adj3 strength) (tensile adj elongation))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
22	BRS	2	("4565844"   "6201090").PN.	USPAT
23	BRS	402	(propylene near5 ethylene near5 block) and (nucleating adj agent or nucleator) and ((melt adj flow adj rate ) (xylene near5 (insolubles! or insoluble)) (xylene near5 (solubles! or soluble)) (relaxation near3 time) (flexural adj modulus) (izod adj3 strength) (tensile adj elongation))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
24	BRS	69	((propylene near5 ethylene near5 block) and (nucleating adj agent or nucleator) and ((melt adj flow adj rate ) (xylene near5 (insolubles! or insoluble)) (xylene near5 (solubles! or soluble)) (relaxation near3 time) (flexural adj modulus) (izod adj3 strength) (tensile adj elongation))) and granulat\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
25	BRS	189	((methylenebis or methylene adj bis) adj5 (butylphenyl or butyl adj phenyl) adj5 phosphate	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
26	BRS	30	((propylene near5 ethylene near5 block) and ((methylenebis or methylene adj bis) adj5 (butylphenyl or butyl adj phenyl) adj5 phosphate) and ((melt adj flow adj rate ) (xylene near5 (insolubles! or insoluble)) (xylene near5 (solubles! or soluble)) (relaxation near3 time) (flexural adj modulus) (izod adj3 strength) (tensile adj elongation))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
27	BRS	1	((((methylenebis or methylene adj bis) adj5 (butylphenol or butyl adj phenol)) adj5 phosphate or ((methylenebis or methylene adj bis) adj5 (butylphenol or butyl adj phenol) adj5 phosphate)) near10 (structure or formula)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
28	BRS	4	((na?11 or na11) near10 (structure or formula)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
29	BRS	0	formula near10 ethylene near10 (relaxation near3 time)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
30	BRS	22	ethylene near10 (relaxation near3 time)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
31	BRS	0	((propylene near5 ethylene near5 block) same ((methylenebis or methylene adj bis) adj5 (butylphenol or butyl adj phenol) adj5 phosphate)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
32	BRS	11	((propylene near5 ethylene near5 block) and ((methylenebis or methylene adj bis) adj5 (butylphenol or butyl adj phenol) adj5 phosphate)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
33	BRS	11	((propylene near5 ethylene near5 block) and (na11 or na?11\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
34	BRS	1212	((nucleating or nucleator) near10 (structure or formula)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
35	BRS	39	((propylene near5 ethylene near5 block) and ((nucleating or nucleator) near10 (structure or formula)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
36	BRS	189	((methylenebis or methylene adj2 bis or methylene-bis) adj5 (butylphenyl or butyl adj phenyl) adj5 phosphate)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
37	BRS	33	((propylene near5 ethylene near5 block) and ((methylenebis or methylene adj2 bis or methylene-bis) adj5 (butylphenyl or butyl adj phenyl) adj5 phosphate))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
38	BRS	108	((propylene near5 ethylene near5 block) and (xylene near5 (insolubles! or insoluble)) and (xylene near5 (solubles! or soluble)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
39	BRS	29	((propylene near5 ethylene near5 block) and (xylene near5 (insolubles! or insoluble)) and (xylene near5 (solubles! or soluble))) and mmmmm	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
40	BRS	25	((((propylene near5 ethylene near5 block) and (xylene near5 (insolubles! or insoluble)) and (xylene near5 (solubles! or soluble))) and mmmmm) and (nucleating adj agent or nucleator) equation near10 ethylene near10 (relaxation near3 time)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
41	BRS	3	relationship near10 ethylene near10 (relaxation near3 time)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
42	BRS	3	((propylene near5 ethylene near5 block) and (xylene near5 (insolubles! or insoluble)) and (xylene near5 (solubles! or soluble))) and mmmmm) and (nucleating adj agent or nucleator) equation near10 ethylene near10 (relaxation near3 time)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
43	BRS	1	propylene near5 ethylene near5 block) and (xylene near5 (insolubles! or insoluble)) and (xylene near5 (solubles! or soluble))) and mmmmm) and (nucleating adj agent or nucleator) equation near10 ethylene near10 (relaxation near3 time)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
44	BRS	177	((propylene near5 ethylene near5 block) and (xylene near5 (insolubles! or insoluble)) and (xylene near5 (solubles! or soluble))) and mmmmm) and (nucleating adj agent or nucleator) equation near10 ethylene near10 (relaxation near3 time)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
45	BRS	60	((propylene near5 ethylene near5 block) and (xylene near5 (insolubles! or insoluble)) and (xylene near5 (solubles! or soluble))) and mmmmm) and (nucleating adj agent or nucleator) equation near10 ethylene near10 (relaxation near3 time)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
46	BRS	54	((propylene near5 ethylene near5 block) and (xylene near5 (insolubles! or insoluble)) and (xylene near5 (solubles! or soluble))) and mmmmm) and (nucleating adj agent or nucleator) equation near10 ethylene near10 (relaxation near3 time)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
47	BRS	1	1996-077782.NRAN.	DERWENT
48	BRS	4	((propylene near5 ethylene near5 block) and (relaxation near3 time) near5 single near5 nmr	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
49	BRS	1	2000-097713.NRAN.	DERWENT
50	BRS	6	jp-07025961-\$.did. or jp-07247311-\$.did. or jp-09176227-\$.did.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB



	Type	Hits	Search Text	DBs
51	IS&R	365	(524/117).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
52	BRS	78	((524/117).CCLS.) and (nucleating adj agent or nucleator)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
53	BRS	43	cx5 and (propylene near5 ethylene near5 block)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
54	BRS	9	cx15 and (propylene near5 ethylene near5 block)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
55	BRS	44	(propylene near5 ethylene near5 block) same (xylene near5 (insolubles! or insoluble)) same (xylene near5 (solubles! or soluble)) 1982-93278E.NRAN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
56	BRS	1		DERWENT
57	BRS	3	wo-9965956-\$.did. or wo-9738033-\$.did.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
58	BRS	1	1997-512664.NRAN.	DERWENT
59	IS&R	2	("5563194").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
60	BRS	2	(( "5563194").PN.) and block	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
61	BRS	108	(propylene near5 ethylene near5 block) and (xylene near5 (insolubles! or insoluble)) and (xylene near5 (solubles! or soluble))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
62	BRS	64	((propylene near5 ethylene near5 block) and (xylene near5 (insolubles! or insoluble)) and (xylene near5 (solubles! or soluble))) not ((propylene near5 ethylene near5 block) same (xylene near5 (insolubles! or insoluble)) same (xylene near5 (solubles! or soluble))) (polyethylene or ethylene) near5 (polypropylene or propylene) near5 block (xylene or paraxylene) near5 soluble	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
63	BRS	13560		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
64	BRS	3152		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
65	BRS	1340	(xylene or paraxylene) near5 insoluble	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
66	BRS	6026	relaxation adj time	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
67	BRS	913	isotactic adj pentad adj fraction or mmmmm	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
68	BRS	14210	nucleating adj agent or nucleator or (butylphenol or butylphenyl or butyl adj (phenol or phenyl)) adj5 phosphate	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
69	BRS	11047	melt adj flow adj rate	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
70	BRS	105	((polyethylene or ethylene) near5 (polypropylene or propylene) near5 block) and ((xylene or paraxylene) near5 soluble) and ((xylene or paraxylene) near5 insoluble)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
71	BRS	29	((polyethylene or ethylene) near5 (polypropylene or propylene) near5 block) and ((xylene or paraxylene) near5 soluble) and ((xylene or paraxylene) near5 insoluble)) and (nucleating adj agent or nucleator or butylphenol or butylphenyl or butyl adj (phenol or phenyl)) adj5 phosphate)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
72	BRS	62	((xylene or paraxylene) near5 insoluble) same (isotactic adj pentad adj fraction or mmmmm))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
73	BRS	25	((xylene or paraxylene) near5 insoluble) same (isotactic adj pentad adj fraction or mmmmm)) and ((polyethylene or ethylene) near5 (polypropylene or propylene) near5 block)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
74	BRS	9	((polyethylene or ethylene) near5 (polypropylene or propylene) near5 block) and (relaxation adj time)) and (nucleating adj agent or nucleator or (butylphenol or butylphenyl or butyl adj (phenol or phenyl)) adj5 phosphate)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
75	BRS	50	((polyethylene or ethylene) near5 (polypropylene or propylene) near5 block) and (relaxation adj time)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
76	BRS	12	((xylene or paraxylene) near5 soluble) same (relaxation adj time)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
77	BRS	11098	modulus near3 flexur\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
78	BRS	10276	izod	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
79	BRS	126126	elongation	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
80	BRS	219	((polyethylene or ethylene) near5 (polypropylene or propylene) near5 block) and (modulus near3 flexur\$2) and izod and elongation	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
81	BRS	79	((polyethylene or ethylene) near5 (polypropylene or propylene) near5 block) and (modulus near3 flexur\$2) and izod and elongation) and (nucleating adj agent or nucleator or (butylphenol or butylphenyl or butyl adj (phenol or phenyl)) adj5 phosphate)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
82	BRS	55	izod near5 (kj or j)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	Dbs
83	BRS	608	izod near10 (kj?m or j?m)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
84	BRS	62	((polyethylene or ethylene) near5 (polypropylene or propylene) near5 block) and (izod near10 (kj?m or j?m))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs	Time Stamp
1	L5	11528	ethylene near5 propylene near5 block	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM_TDB	2002/01/14 13:05
2	L1	7	relaxation adj time near10 (mfr or melt adj flow adj rate or ipf or isotactic)	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM_TDB	2002/01/14 13:35
3	L8	1	5 and 7	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM_TDB	2002/01/14 13:10
4	L6	13	5 near10 granulat\$3	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM_TDB	2002/01/14 13:13
5	L9	4304	granulat\$3 near5 (pelletiz\$4 or knead\$3)	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM_TDB	2002/01/14 13:21
6	L10	9	5 same 9	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM_TDB	2002/01/14 13:17
7	L11	2390	extruder near5 granulat\$3	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM_TDB	2002/01/14 13:17
8	L12	86	banbury near5 granulat\$3	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM_TDB	2002/01/14 13:17
9	L13	65	(11 or 12) and 5	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM_TDB	2002/01/14 13:17

	L #	Hits	Search Text	DBs	Time Stamp
10	L14	6	(11 or 12) same 5	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM_TDB	2002/01/14 13:21
11	L15	1997	granulat\$3 near5 (pellet)	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM_TDB	2002/01/14 13:21
12	L16	5	15 same 5	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM_TDB	2002/01/14 13:21
13	L17	243	relaxation adj time near10 calculat\$3	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM_TDB	2002/01/14 13:28
14	L17	18	relaxation adj time same (ethylene near5 propylene)	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM_TDB	2002/01/14 13:28
15	L18	7	relaxation adj time and 1	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM_TDB	2002/01/14 13:37
16	L19	6	7 and (ethylene near5 propylene)	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM_TDB	2002/01/14 13:28
17	L20	8	7 near10 (polymer or copolymer)	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM_TDB	2002/01/14 13:29
18	L21	150	relaxation adj time near10 (formula or relationship)	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM_TDB	2002/01/14 13:30

	L #	Hits	Search Text	DBs	Time Stamp
19	L22	19	tau near10 (mfr or ipf)	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM_TDB	2002/01/14 13:36
20	L23	38	relaxation adj time and 5	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM_TDB	2002/01/14 13:37